



成都蓉生药业有限责任公司
Chengdu Rongsheng Pharmaceutical Co., Ltd.

中国四川省成都市高新区起步园科技园南路7号
No.7 Keyuan South Road, Hi-tech Zone, Chengdu,
Sichuan, P.R.C
邮编 Code: 610041 电话 Tel: 86-28-85281036
传真 Fax: 86-28-85281039

产品签发合格证

Certificate for the Release of Products

证书编号/Certificate No.: RS-0212-2018040

产品名称/Name of the Product: 静注人免疫球蛋白 (pH4)

商品名/Trade Name of the Product: 蓉生静丙

产品批号/Lot No.: 201803B018

剂 型/Dosage Form: 注射剂

规 格/ Specification: 5% 50ml 2.5g/瓶

生产日期/ Manufacturing Date: 2018年3月7日


有效期至/Valid Until: 2021年3月6日

批量/出口量/Lot Quantity/Export Quantity: 18094 瓶



经生产过程质量控制和制造及检定记录审查, 本批产品符合《中国药典》2015年
版相关规定, 并取得批签发合格证明, 准予放行。

The product mentioned above has passed the check of the process quality control and
the production/test records. It complies with the provisions of the release of Chinese
Pharmacopoeia (2015 Edition) and obtains the certification for the release of biological
products, approved for release.



质量授权人/Qualified Person:

(official seal 公章)

2018年6月14日 /14th Jun. 2018




生物制品批签发证明

Certificate for the Release of Biological Products

批签发号 201800364

LRE201800364

产品名称	静注人免疫球蛋白 (pH4)		
Generic Name			
生产企业	成都蓉生药业有限责任公司		
Manufacturer			
地址	四川省成都市高新区起步园智四南路2号		
Address			
收检编号	E201800564	批号	201803B018
Regis. No		Lot No.	
剂型	注射剂	规格	5% 50ml 2.5g/瓶
Dosage Form		Strength	
有效期至	2021年3月6日	签发量	18094瓶
Expiry Date		Quantity	



经审查, 上述制品符合生物制品批签发的有关规定, 予以签发。

The product mentioned above complies with the relevant provisions for lot release of biological products and is approved for release.

本证明系至少基于对企业申报的产品批制造及检验记录摘要的审查而签发。


As a minimum, This certificate is based on review of the summary protocol of manufacturing and control.

签发人

Issued

二〇一八年六月十二日

12 June 2018



产品检定报告

Certificate of Analysis for Finished products

品名 Product Name	静注人免疫球蛋白(pH4) Human Immunoglobulin(pH4) for Intravenous Injection	剂型 Dosage Form	注射剂 Injection
产品批号 Batch No.	201803B018	规格 Size	5% 50ml 2.5g/瓶 5% 50ml 2.5g / bottle
生产日期 Manufacturing Date	07/03/2018	有效期至 Valid Until	06/03/2021
检定依据 Testing According to	静注人免疫球蛋白(pH4)产品质量标准 QA-Q8.2.4-003 Human Immunoglobulin(pH4) for Intravenous Injection quality specification QA-Q8.2.4-003	报告编号 Report No.	BD2018018-029
检定项目 Test Items	标准规定 Specification	检定结果 Test Results	
抗-HBs 效价(IU/g 蛋白质) Anti-HBs Potency(IU/g of protein)	≥6.0	43.0	
白喉抗体效价(HAU/g 蛋白质) Diphtheria Antibody titer(HAU/g of protein)	≥3.0	7.8	
PKA(IU/ml)	≤35	1.8	
抗补体活性(%) Anticomplement Activity(%)	≤50	1:8	
抗 A 血凝素 Anti-A Hemagglutinins	≤1:64	1:16	
抗 B 血凝素 Anti-B Hemagglutinins	≤1:64	1:16	
无菌检查 Sterility Test	应无菌生长 No microbial growth	无菌生长 No microbial growth	
异常毒性检查 Test For Abnormal Toxicity	豚鼠试验 Guinea pigs 小鼠试验 Mice	豚鼠健存, 且无异常反应, 体重增加 Guinea pigs remain healthy and survive, increase of body weight 小鼠健存, 且无异常反应, 体重增加 Mice remain healthy and survive, increase of body weight	
热原检查 Pyrogen Test	应符合规定 Conform to specification	符合规定 Conform to	
HIV-1/HIV-2 抗体 HIV-1/HIV-2 antibody test	阴性 Negative	阴性 Negative	
HCV 抗体 HCV antibody test	阴性 Negative	阴性 Negative	
(以下空白) blank below			
检定结论: Test Conclusion:	合格 Conform to the specification		
报告人 Reported by	倪静	报告日期 Date	2018-04-13
复核人 Checked by	廖玉英	质量检定部负责人 QC Dept. Head	刘勇

成都蓉生药业有限责任公司
产品检验专用章



产品检定报告

Certificate of Analysis for Finished products

品名 Product Name	静注人免疫球蛋白(pH4) Human Immunoglobulin(pH4) for Intravenous Injection	剂型 Dosage Form	注射剂 Injection
产品批号 Batch No.	201803B018	规格 Size	5% 50ml 2.5g/瓶 5% 50ml 2.5g / bottle
生产日期 Manufacturing Date	07/03/2018	有效期至 Valid Until	06/03/2021
检定依据 Testing According to	静注人免疫球蛋白(pH4)产品质量标准 QA-Q8.2.4-003 Human Immunoglobulin(pH4) for Intravenous Injection quality specification QA-Q8.2.4-003	报告编号 Report No.	BD2018018-029
检定项目 Test Items	标准规定 Specification	检定结果 Test Results	
鉴别试验 Identity	免疫双扩散法 Double Immunodiffusion 免疫电泳法 Immunoelectrophoresis	仅与抗人的血浆产生沉淀线) Only a precipitation line with anti-human plasma 主要沉淀线应为 IgG The main precipitation line shall be IgG as compared with normal human plasma	符合规定 Conform to 符合规定 Conform to
外观 Physical Inspection		应为无色或淡黄色澄明液体, 可带轻微乳光, 不应出现浑浊。 Clear, colourless or light yellow liquid, slightly opalescence may occur but without turbidity	符合规定 Conform to
可见异物 Test for Visible Particles		应符合规定 Conform to specification	符合规定 Conform to
不溶性微粒检查 Test for undissolvable particulate		应符合规定 Conform to specification	符合规定 Conform to
渗透压摩尔浓度 (mOsmol/Kg) Test for Osmole Concentration		≥ 240	343
装量(ml) Filling Quantity(ml)		≥ 50	符合规定 Conform to
热稳定性试验 Thermostability Test		应符合规定 Conform to specification	符合规定 Conform to
pH		3.8~4.4	4.2
蛋白质含量 (g/L) Protein content (g/L)		≥ 50.0	
蛋白质总量 (g/瓶) Total Protein (g/bottle)		≥ 2.5	
纯度 % Purity %		≥ 95.0	99.0
糖含量(g/L) Sugar Content(g/L)		麦芽糖含量为 90~110 Maltose content shall be 90~110	99
分子大小分布 % Distribution of molecular size %		IgG 单体+二聚体含量 ≥ 95.0 IgG monomer+dimmer content ≥ 95.0	99.1

